

YBN®



YBN®

YABAN CHAIN INDUSTRIAL CO., LTD.

TAIWAN HEADQUARTER:

NO. 67, GANGKOU, ANDING DISTRICT,
TAINAN CITY 745, TAIWAN

Tel:+886-6-5934546 / 5932704

Fax:+886-6-5932920

E-Mail : ybn@yaban.com.tw

Website: www.yaban.com



VIETNAM BRANCH:

NO. 19, LOT NO. J, ROAD NO. 6,
SONG THAN II INDUSTRIAL PARK,DI AN DISTRICT,
BINH DUONG PROVINCE, VIETNAM

Tel:+84-650-790565~8

Fax:+84-650-790569

YBN Industrial (SZ) Co., Ltd

No.128 Ditang Road, Shajing Street, Baoan District, Shenzhen. China


Tel : 0755-2369-7558

Fax : 0755-2369-7858

2021 – 2022



WORLD'S BEST CHAIN



TITANIUM CHAIN
TW Patent : M350635




COLOR: Ti-N Black
TW Patent : M357421
SLA Superior
Lubricating Aid



SLA 11 SPEED CHAIN
TAIPEI CYCLE d&i Award Organized by iF


Production Machines



MAGIC COLOR
TW Patent : M356818



QRS QUICK RELEASE SAFTY LINK
U.S. Invention Patent : US 8540597 B2
Taiwan Invention Patent : I408297




HALF - LINK
TW Patent : M268483
U.S. Patent : 11/166211



MK410RB



QUICK LINK PLIERS
TW Patent : 201119803
TW Patent : 201119804



QF QUICK FIX CONNECTING PIN
U.S. Invention Patent : US 8540597

Inspection Machines



HALF LINK CHAIN SERIES MK918H
TW Patent : M268483
U.S. Patent : 11/166211



12 SPEED SERIES



MK747 Multi-Colors
TW Patent : M247737
MK747SL BMX AND FREESTYLE
TW Patent : M247737



- 1989**: YABAN Chain Industrial Co., Ltd Established (Taiwan Headquarter)
- 1994**: YABAN certified by ISO 9001
- 2000**: YABAN VIETNAM BRANCH Established
- 2003**: YABAN VIETNAM Steel Corporation Established, certified by ISO 9001
- 2010**: Distributor of China Steel Corporation Vietnam Subsidiary (CSVC).
- 2014**: YABAN Shenzhen (China) Warehouse Established
- 2015**: YABAN SLA 11 SPEED CHAIN - TAIPEI CYCLE d&i Award YABAN VIETNAM Steel Pipe Corporation Established.
- 2016**: YABAN 12 Speed chain
- 2017**: YABAN MK410RB chain for share bike and e-bike
- 2018**: YBN E-BIKE Chain Series YBN SLA 12 SPEED



FUNCTION

speeds

- 12_s** 12-Speed Chain
- 11_s** 11-Speed Chain
- 10_s** 10-Speed Chain
- 9_s** 9-Speed Chain
- 8_s** 8-Speed Chain
- 7_s** 7-Speed Chain
- 6_s** 6-Speed Chain
- 1_s** Single Speed Chain
- 1_{1/8_s}** Single Speed Chain 1/8
- 1_{3/32_s}** Single Speed Chain 3/32

features

- TM Titanium Material**
World's lightest chain! Made by Titanium material
- Ti-N Coating**
Titanium Nitride Coating aids in maximum chain life under all circumstance
- SLA Superior Lubricating Aid**
Superior Lubricating Aid is a special Ni-PTFE coating on chain plate for less friction and increasing 100% chain life
- SL+**
The SL+ is a special laser cutaway section on the inner plate and outer plate that allows weight saving while still offering durability and performance
- SL**
The SL is a special laser cutaway section on the outer plate that allows weight saving while still offering durability and performance
- DHA Roller**
A Chromium Hardened Roller coated by a special chromium carbide layer
- DHA Pin**
A Chromium Hardened Pin coated by a special chromium carbide layer
- Hollow Pin**
Solid tube, 20% lighter than traditional pin with no loss of strength
- Circle Riveting**
Extremely high pin power
- Square Riveting**
High pin power
- Inner Chamfer**
On inner plate and outer plate is for anti-drop of chain caused in back pedaling situations
- Outer Chamfer**
The chamfering is on the end of the outer plate and reduce 80% and above shifting friction
- Teflon Painting**
Anti-Rust New Painting Technology is not easy to wear out
- Anti-Rust**
Anti-Rust Coating provides corrosion resistance that is guaranteed to prevent the chain from rusting
- Noiseless**
Insure the quietest chain even while shifting up or down
- Bushing Less**
New technology aids in smooth shift transmission without binding
- HD**
High Tensile Strength

Riding type

- XC** Cross Country
- Road**
- Travel**
- City**
- BMX** BMX
- Track**
- e-bike**
- fSDJ** Freestyle/Dirt jump/Fixie

YBN Technologies

SLA - Superior Lubricating Aid series



Longer lifespan

Teflon coating acts as an extra layer of protection when chain is shifted or turned during riding. It also benefits chain shifting/sliding gently and easily.

Non-stick

Teflon coating applied to chain will give excellent non-stick/waterproof properties and is very easy to clean.

Low friction and abrasion resistance

Teflon coated surfaces reduce friction and prevent galling; Teflon layer added abrasion resistance and increased wear life.

Circle Riveting
Pin Power is increased by Circle Riveting.

DHA ROLLER
Using Chromium Carbide Surface Treatment to increase the hardness of roller surface is able to prolong chain 100% using life.

DHA Treatment
Using Chromium Carbide Surface Treatment to increase the hardness of pin surface is able to prolong chain 100% using life.

Chromium Molybdenum Alloy Steel & Ni-PTFE Teflon Coating:
SLA Superior Lubricating Aid

Unique Chamfer Design
Extremely fast shifting

INDEX

TECHNIQUES	04
TITANIUM	05
12 SPEED CHAIN	07
11 SPEED CHAIN	09
10 SPEED CHAIN	10
9 SPEED CHAIN	11
8 SPEED & 7 SPEED & 6 SPEED CHAIN	12
SINGLE SPEED CHAIN	13
MK410RB	15
E-BIKE CHAIN	16
ANTI-RUST CHAIN	19
HALF LINK CHAIN (BMX & FREESTYLE)	21
QUICK RELEASE SAFTY LINKS (QRS)	24
ASSEMBLY INSTRUCTION	25
COMPATIBLE APPLICATION CHART	27
PACKING	31
STEEL PIPE	33



DHA - Chromium Carbide Hardened Treatment

Through integrating Chromium carbide into pins and rollers, it increases the hardness extremely and gives pins and rollers excellent wear resistance and corrosion resistance. Furthermore, through polishing process to a mirror finish, surfaces of pins and rollers achieve very low coefficients of friction.



Titanium Chain

World's Lightest Chain



YBN the first create the lightest and most technically advanced Titanium Chain in the world.

YBN utilized Titanium materials with superior technology, precision chamfering and Ni-PTFE coating to manufacture super light, slim, robust, and low friction chain components.

Provide sportive riders maximum precise, smooth, fast shifting and riding Performance, suitable for everyday use as well as racing. Perfectly compatible with Shimano, SRAM, Campagnolo, all worlds' leading bicycle drivetrain and derailleur systems.

The best chain you desire.

TITANIUM CHAIN

THE BEST AND LIGHTEST BICYCLE CHAINS YOU ARE LOOKING FOR...

- 1/2" x 11/128"
- SLA Superior Lubrication Aid
- DHA Chromium Carbide Pin
- Titanium Material



SLA212 Ti-N Gold

SLA212 Silver


- 12 speed
- 1/2" x 11/128"
- Titanium Material
- World's Lightest Chain • High Durability
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin



SLA211 Ti-N Gold

SLA211 Silver

- 11 speed
- Pin Length: 5.6 mm
- Weight: 207 grams / 106Links
- Compatibility: SHIMANO, Campagnolo and SRAM



SLA210 Ti-N Gold

SLA210 Silver

- 10 speed
- Pin Length: 5.9 mm
- Weight: 210 grams / 106Links
- Compatibility: SHIMANO, Campagnolo and SRAM



YBN



12_S SPEED

YBN

YBN SLA 12 speed chain precision technology.

Chain plates made by high-strength steel through precision stamping and chamfering; DHA Chromium Carbide Heat Treatment pin and roller hardness are up to HV1500; SLA Ni-PTFE Teflon coating with low friction and abrasion resistance; Greatly strengthen the riveting force and maximum every performance property, high toughness, high hardness, low friction coefficient, high wear resistance, high impact resistance and high tensile strength.

YBN 12 speed series compatible with all worlds' leading bicycle drivetrain and derailleur systems. Experience the excellent smooth, precise shifting and quiet, comfort riding.



SLA Superior Lubricating Aid

SLA1210



SLA1210 Ti-N Black



SLA1210 Ti-N Gold



SLA1210 Silver

- 1/2" x 11/128"
- Weight: 240 grams / 110 Links
- Light
- High Durability
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin & Roller

MK12



MK12 S2 Silver/Silver

- 1/2" x 11/128"
- Weight: 240grams / 110Links
- Light
- DHA - Chromium Carbide Pin & Roller

S12



S12 Ti-N Black



S12 Ti-N Gold



S12 S2 Silver/Silver



S12 S Silver/Grey

- 1/2" x 11/128"
- DHA - Chromium Carbide Pin & Roller

YBN

11_s

SPEED

- 1/2" x 11/128"
- Speed of Cassette: 11
- Pin Length: 5.6mm
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin
- Compatible with all 11 - speed drive train systems



TITANIUM CHAIN

SLA211



- 1/2" x 11/128"
- Weight: 207 grams / 106 Links
- Titanium Material
- World's Lightest Chain • High Durability
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin

SLA-Superior Lubricating Aid

SLA110



- 1/2" x 11/128"
- Weight: 232 grams / 110 Links
- Super light • High Durability
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin & Roller

SLA-H11



- 1/2" x 11/128"
- Weight: 243 grams / 110 Links
- Light • High Durability
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin & Roller

SLA1110



- 1/2" x 11/128"
- Weight: 240 grams / 110 Links
- Light • High Durability
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin & Roller

S11



- 1/2" x 11/128"
- DHA - Chromium Carbide Pin & Roller

10_s

SPEED

- 1/2" x 11/128"
- Speed of Cassette: 10
- Pin Length: 5.9mm
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin & Roller
- Compatible with all 10 - speed drive train systems

TITANIUM CHAIN

SLA210



- 1/2" x 11/128"
- Weight: 210 grams / 106 Links
- Titanium Material
- World's Lightest Chain Series • High Durability
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin

SLA-Superior Lubricating Aid

SLA101



- 1/2" x 11/128"
- Weight: 235 grams / 110 Links
- Super light • High Durability
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin & Roller

SLA-H10



- 1/2" x 11/128"
- Weight: 252 grams / 110 Links
- Light • High Durability
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin & Roller

SH10



- 1/2" x 11/128"
- Weight: 253 grams / 110 Links
- Light • DHA - Chromium Carbide Pin & Roller

S1010



- 1/2" x 11/128"
- Weight: 240 grams / 110 Links
- Light • DHA - Chromium Carbide Pin & Roller

S10



- 1/2" x 11/128"
- DHA - Chromium Carbide Pin & Roller



SPEED


- 1/2" x 11/128"
- Speed of Cassette: 9
- Pin Length: 6.4mm
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin & Roller
- Compatible with all 9 - speed drive train systems



SPEED

- 1/2" x 3/32"
- Speed of Cassette: 8
- Pin Length: 7.1mm
- Compatible with all 8 - speed drive train systems

TITANIUM CHAIN



SLA209 Ti-N Gold



SLA209 Silver

- 1/2" x 11/128"
- Weight: 227 grams / 106 Links
- Titanium Material • High Durability
- World's Lightest Chain Series
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin

SLA-Superior Lubricating Aid



SLA901 Ti-N Black



SLA901 Ti-N Gold



SLA901 Silver

- 1/2" x 11/128"
- Weight: 251 grams / 110 Links
- Super light • High Durability
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin & Roller



SLA-H9 Ti-N Black



SLA-H9 Ti-N Gold



SLA-H9 Silver

- 1/2" x 11/128"
- Weight: 265 grams / 110 Links
- Light • High Durability
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin & Roller



SH9 S2 Silver/Silver



SH9 S Silver/Grey



SH9 Grey/Grey

- 1/2" x 11/128"
- Weight: 268 grams / 110 Links
- Light • DHA - Chromium Carbide Pin



S9010 Silver

- 1/2" x 11/128"
- Weight: 248 grams / 110 Links
- Light • DHA - Chromium Carbide Pin



S9 S2 Silver/Silver




S9 S Silver/Grey



S9 Grey/Grey

- 1/2" x 11/128"
- DHA - Chromium Carbide Pin

SLA-Superior Lubricating Aid



SLA-H8 Ti-N Gold



SLA-H8 Silver

- 1/2" x 3/32"
- Weight: 287 grams / 110 Links
- SLA - Superior Lubricating Aid
- DHA - Chromium Carbide Pin



S8010 Silver

- 1/2" x 3/32"
- Weight: 285 grams / 110 Links
- DHA - Chromium Carbide Pin



S88 S2 Silver/Silver



S88 S Silver/Grey



S88 Grey/Grey

- 1/2" x 3/32"
- DHA - Chromium Carbide Pin



S8 S2 NP Silver and S8 S Half Silver are available by request.

- 1/2" x 3/32"
- DHA - Chromium Carbide Pin

Entry Level Chain

- 1/2" x 3/32"
- Speed of Cassette: 6 / 7 / 8
- Compatible with all 6 / 7 / 8 - speed drive train systems



S52 Brown/Brown

- S52 S2 NP Silver and S52 S Half Silver are available by request.
- 1/2" x 3/32"
- Speed of Cassette: 7 and 8
- Pin Length 7.3 mm
- Compatible with all 7 and 8 speed drive train systems



S50 Navy Blue/Brown

- S52 S2 NP Silver and S52 S Half Silver are available by request.
- 1/2" x 3/32"
- Speed of Cassette: 6 and 7
- Pin Length 7.3 mm
- Compatible with all 6 and 7 speed drive train systems



S20 Brown/Brown

- S20 S2 NP Silver and S20 S Half Silver are available by request.
- 1/2" x 3/32"
- Speed of Cassette: 5 and 6
- Pin Length 7.8 mm
- Compatible with all 5 and 6 speed drive train systems



S20H Heavy Duty Brown/Brown

- S20H S2 NP Silver and S20H S Half Silver are available by request.
- 1/2" x 3/32"
- Speed of Cassette: 5 and 6
- Pin Length 7.8 mm
- Tensile Strength: 1,000kgf
- Compatible with all 5 and 6 speed drive train systems

SINGLE SPEED



- 1 1/8 S** **S410**
- Color: Brown/ Brown
(NP Silver and Half Silver are available by request)
 - 1/2"x1/8"
 - Speed of Sprocket: Single Speed



- 1 1/8 S** **S410A**
- Color: Gray/Gray
(NP Silver is available by request)
 - 1/2"x1/8"
 - Speed of Sprocket: Single Speed
 - Bushed Chain



- 1 1/8 S** **S410H** **Painting**
- Color: Red/ Silver, Blue/ Silver, Green/ Silver, Multiple colors
 - 1/2"x1/8"
 - Speed of Sprocket: Single Speed
 - Tensile Strength: 1,000kgf



HEAVY DUTY



- 1 1/8 S** **S410H**
- Color: Brown/ Brown
(NP Silver and Half Silver are available by request)
 - 1/2"x1/8"
 - Speed of Sprocket: Single Speed
 - Tensile Strength: 1,000kgf



- 1 1/8 S** **S410HX**
- Color: Brown/ Brown
(NP Silver and Half Silver are available by request)
 - 1/2"x1/8"
 - Speed of Sprocket: Single Speed
 - Tensile Strength: 1,000kgf
 - Alloy Pin

LIGHTWEIGHT



- 1 1/8 S** **SH410** **LIGHT**
- Color: NP Silver
(Gold Color is available by request)
 - 1/2"x1/8"
 - Speed of Sprocket: Single Speed
 - Weight: 311 grams/ 110L
 - DHA Chromium Carbide Pin
 - Compatible Bikes: Track Bike, Fixed Gear



- 1 1/8 S** **SLA410** **Super LIGHT Superior Durability**
- Color: NP Silver
(Gold Color is available by request)
 - 1/2"x1/8"
 - Speed of Sprocket: Single Speed
 - Weight: 275 grams/ 110L
 - DHA Chromium Carbide Pin
 - SLA Superior Lubricating Aid
 - Compatible Bikes: Track Bike, Fixed Gear

EXERCISER CHAIN



- 25H**
- Color: Brown/ Brown
 - 1/4"x1/8"
 - Compatible Bikes: Exerciser/ Carry Me



- 1 S** **415HS2**
- Color: NP Silver
 - 1/2"x3/16"
 - Speed of Sprocket: Single Speed
 - Tensile Strength: 1,750kgf
 - Extreme Heavy Duty

ANTI-DROP



- 1 1/8 S** **S512H**
- 1/2"x1/8"
 - Speed of Sprocket: Single Speed
 - Tensile Strength: 1,000kgf
 - Special Inner Plate Chamfer Design For Anti-Drop
 - Compatible Bike: BMX, Freestyle, Beach Cruiser, Track Bike



- 1 3/32 S** **S512NH**
- 1/2"x3/32"



- Color: NP Silver



- 1 1/8 S** **S512HX**
- 1/2"x1/8"
 - Speed of Sprocket: Single Speed
 - Tensile Strength: 1,000kgf
 - Special Inner Plate Chamfer Design For Anti-Drop
 - Compatible Bike: BMX, Freestyle, Beach Cruiser, Track Bike
 - DHA Chromium Carbide Pin



- 1 1/8 S** **SU-01**
- Extremely Heavy Duty Superior Durability**

- Color: NP Silver
- Speed of Sprocket: Single Speed
- Tensile Strength: Approx. 1,300kgf
- DHA Chromium Carbide Pin
- Compatible Bike: BMX, Freestyle, Track Bike



UNICORN
Unique Design: A Reinforced Half-Link Chain Plate Attached. Lightweight Hollow Pin Chain.

E-BIKE Chain Series


YBN e-bike chain

Best choice for your bicycle commuting, touring and exercise. Cycling is the ideal way for transport, recreation, exercise or sport, increasing the amount of physical activity, effective at relieving congestion, air and noise pollution, also easy parking.


YBN reinforced e-bike chain series, high strength, high wear-resistance, and lightweight, further technologies and innovations increased comfort, smooth, quiet and safety riding experience, extended chain lifetime, and ensured high endurance.

Compatible with all Derailleur systems, Internal-gear systems, Mid-motor e-Bike system, easy to install and works on any bicycle type, including mountain bikes, road bikes, city, trekking, sportive, cargo bikes... and more.

TOP
Durability
Performance
Tensile strength
Pin power




- Color: NP Silver
- 1/2"x11/128"
- Speed of Sprocket: 12
- Tensile Strength: 1,000kgf
- DHA Chromium Carbide Pin & Roller
- Compatible Bike: Mid-Motor e-Bikes, BOSCH e-Bike System and other e-Bike System
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours




- Color: NP Silver
- 1/2"x11/128"
- Speed of Sprocket: 9
- Pin Length: 6.4 mm
- Tensile Strength: 1,000kgf
- DHA Chromium Carbide Pin
- Compatibility: SHIMANO, Campagnolo and SRAM
- Compatible Bike: Mid-Motor e-Bikes, BOSCH e-Bike System and other e-Bike System
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours



- Color: NP Silver
- 1/2"x11/128"
- Speed of Sprocket: 11
- Pin Length: 5.6 mm
- Tensile Strength: 1,000kgf
- DHA Chromium Carbide Pin & Roller
- Compatibility: SHIMANO, Campagnolo and SRAM
- Compatible Bike: Mid-Motor e-Bikes, BOSCH e-Bike System and other e-Bike System
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours



- Color: NP Silver
- 1/2"x3/32"
- Speed of Sprocket: 8
- Pin Length: 7.1 mm
- Tensile Strength: 1,000kgf
- DHA Chromium Carbide Pin
- Compatibility: SHIMANO, Campagnolo and SRAM
- Compatible Bike: Mid-Motor e-Bikes, BOSCH e-Bike System and other e-Bike System
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours



- Color: NP Silver
- 1/2"x11/128"
- Speed of Sprocket: 10
- Pin Length: 5.9 mm
- Tensile Strength: 1,000kgf
- DHA Chromium Carbide Pin & Roller
- Compatibility: SHIMANO, Campagnolo and SRAM
- Compatible Bike: Mid-Motor e-Bikes, BOSCH e-Bike System and other e-Bike System
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours



- Color: NP Silver
- Speed of Sprocket: Single Speed
- Tensile Strength: 1,300kgf
- DHA Chromium Carbide Pin
- Special Inner Plate Chamfer Design For Anti-Drop
- Compatible Bike: Mid-Motor e-Bikes, BOSCH e-Bike System and other e-Bike System
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours



MK410RB



Color
Navy Blue
Silver
Anti-Rust Gray

World's most durable chain

MK410RB offer over 20,000km service life without replacing and 1,200kgf high tensile strength, best chain for public bicycles, e-bikes and city bikes



MK410RB is the best chain for E-bike, City bike, Fixed-gear, BMX and all single speed bicycles. YBN new patent product MK410RB is bushing type single speed chain with 10 times chain life comparing with normal chains, MK410RB offer over 20,000 km service life without replacing. RB surface treatment passed over 500 hours salt spray test, shows best anti rust performance in extreme environments. Wide inner plates construction offer anti drop function and 1,200kgf high tensile strength. MK410RB combines with easy maintains, great rust resistance, high durability and excellent cost performance, which is the best choice for your bicycle



MK410RB

- Anti-rust (RB) / Navy Blue
- Single speed 1/2"x1/8" / 1/2"x3/32"
- Extreme Heavy Duty 1,200kgf tensile strength
- Mid-motor System Dedicated Chain
- Solid Bushing chain
- Motorcycle chain pins



MK410RB

- Color: NP Silver , Navy Blue
- 1/2"x1/8" / 1/2"x3/32"
- Speed of Sprocket: Single Speed
- Extreme Heavy Duty
- Mid-Motor System Dedicated Chain
- Enhanced Tensile Strength
- Solid Bushing chain


MK410RB offer 20,000km service life for e-bike and share bike



S410AD

- Anti-rust (RB)
- Single speed 1/2"x1/8" / 1/2"x3/32"
- Extreme Heavy Duty 1,200kgf tensile strength
- Mid-motor System Dedicated Chain
- Solid Bushing chain

S410AD offer 12,000km service life for e-bike and share bike



S410A

- Color: Gray/Gray (NP Silver is available by request)
- 1/2"x1/8"
- Speed of Sprocket: Single Speed
- Bushing chain



S410HX

- Color: Brown/ Brown (NP Silver and Half Silver are available by request)
- 1/2"x1/8"
- Speed of Sprocket: Single Speed
- Tensile Strength: 1,000kgf
- Alloy Pin



Anti-Rust Chains


ANTI-RUST SERIES
for ALL SPEED BIKE



The Best Rust Proof Chains


YBN RB Series (Rust Buster) is the best Anti-Rust chains. The RB series chain is able to withstand the Salt Spray Test above 500 hours without rusting. YBN provides full range of RB chain series including Single speed and multi-speed.








RUST RESISTANCE



* Salt Spray Testing Results



S12RB 

12_S        


- Color: Rust Buster
- 1/2"x11/128"
- Speed of Sprocket: 12
- DHA Chromium Carbide Pin & Roller
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours

S52RB 



- Color: Rust Buster
- 1/2"x3/32"
- Speed of Sprocket: 7&8
- Pin Length: 7.3 mm
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours
- Compatibility: SHIMANO and SRAM

S11RB 


11_S        







- Color: Rust Buster
- 1/2"x11/128"
- Speed of Sprocket: 11
- Pin Length: 5.6 mm
- DHA Chromium Carbide Pin & Roller
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours
- Compatibility: SHIMANO, Campagnolo and SRAM

S20RB 


    



- Color: Rust Buster
- 1/2"x3/32"
- Speed of Sprocket: 5&6
- Pin Length: 7.8 mm
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours
- Compatibility: SHIMANO and SRAM

S10RB 

10_S        









- Color: Rust Buster
- 1/2"x11/128"
- Speed of Sprocket: 10
- Pin Length: 5.9 mm
- DHA Chromium Carbide Pin & Roller
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours
- Compatibility: SHIMANO, Campagnolo and SRAM

S410HRB 


1^{1/8}_S  








- Color: Rust Buster
- 1/2"x1/8"
- Speed of Sprocket: Single Speed
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours
- Compatible Bike: Single Speed Bikes, Beach Cruiser, Industrial Bike

S9RB 

9_S        

- Color: Rust Buster
- 1/2"x11/128"
- Speed of Sprocket: 9
- Pin Length: 6.4 mm
- DHA Chromium Carbide Pin
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours
- Compatibility: SHIMANO, Campagnolo and SRAM

S512HRB 


1^{1/8}_S       








- Color: Rust Buster
- 1/2"x1/8"
- Speed of Sprocket: Single Speed
- Special Inner Plate Chamfer Design For Anti-Drop
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours
- Compatible Bike: BMX, Freestyle, Beach Cruiser, Track Bike

S8RB 

8_S      

- Color: Rust Buster
- 1/2"x3/32"
- Speed of Sprocket: 8
- Pin Length: 7.1 mm
- Anti-Rust Ability: Salt Spray Testing Over 500 Hours
- Compatibility: SHIMANO, Campagnolo and SRAM

S512HXR 

1^{1/8}_S        **Heavy Duty**

- Color: Rust Buster
- 1/2"x1/8"
- Speed of Sprocket: Single Speed
- Tensile Strength: 1,000kgf
- Special Inner Plate Chamfer Design For Anti-Drop
- Compatible Bike: BMX, Freestyle, Beach Cruiser, Track Bike
- DHA Chromium Carbide Pin

UNIQUE HALF LINK CHAIN SERIES

We design Half Link chain for BMX, FIXED-GEAR, PISTA and TRACK BIKE. We released new colored Half Link chain and using Magic Painting/Teflon Painting treatment. Many colors are available to choose for your bike. You will definitely like YBN colorful Half Link chain series.


Patent Number: M268483
US Patent Number: 11/166211

MK918



- Speed of Sprocket: Single Speed
- Tensile Strength: 1,300kgf

MK918H



- 1/2"x1/8"
- Speed of Sprocket: Single Speed
- DHA Chromium Carbide Chain Pin
- Special Half Link Design
- Tensile Strength: 1,400kgf

BMX AND FREESTYLE COMPATIBLE

HALF LINK CHAIN (ESPECIALLY FOR BMX, FIXED-GEAR, PISTA AND TRACK BIKE)

MK926




- Speed of Sprocket: Single Speed
- Tensile Strength: 1,300kgf
- Heavy Duty
- Super Light

Reinforced
STRAIGHT

Tensile Strength:

1,400kgf



*Reinforced: Tensile Strength is improved by Reinforced Chain Plates, Thicker and Stronger.
DHA Pins: Durability is enhanced 100% by its DHA Pins.*

Why we have to choose Half Link chain products? Characteristics of Half-Link Chain

1. Easy Adjustment

It is unnecessary to change frame and freewheel while you are changing chains. Special design of chain plate and bridge-type roller link is composed of height-uneven chain plates. Half Link chain is different from traditional way of adjusting pair of links and difficult adjustment.


2. Extremely Strong Tensile Strength

We adopt the material of Chromium Molybdenum Alloy Steel to manufacture YBN Half Link series chain products. YBN Half link chain series possess 1,400kgf tensile strength by special Carburized Nitrogen heat treatment. YBN Half Link chain products are accord with ISO and JIS industrial standard.

3. Other Advantages

The straight shape design of top part of chain plate offers the ability of Freestyle bicycle to use the Half Link chain to collide against any object. Smooth-going is able to instead of beating, having more comfortable and safer assurance to riders who take advantage of it.

MAGIC COLOR



The Magic Colors are Imitated Anodizing Colors. The painted Magic Colors are very similar to real Anodizing colors, and they are quite fancy on that market. They can fit Anodizing parts and component perfectly.

TEFLON PAINTING



The other painting treatment on YBN Half Link chain series is Teflon Painting. Teflon Painting is able to make chain rust-proof. They won't rust under the Salt Spray test 300 hours. Moreover, it is not easy to wear out.

BMX AND FREESTYLE COMPATIBLE

MK747SL-M



1 ^{1/8} S
MK747SL-M
• 1/2"×1/8"



• Color: Multi-Colors

1 ^{3/32} S
MK747N SL-M
• 1/2"×3/32"

- Speed of Sprocket: Single Speed
- Tensile Strength: 1,300kgf
- Super Light

MK747SL



1 ^{1/8} S
MK747SL
• 1/2"×1/8"



• Color: NP Silver

1 ^{3/32} S
MK747N SL
• 1/2"×3/32"

- Speed of Sprocket: Single Speed
- Tensile Strength: 1,300kgf
- Super Light

MK747L



1 ^{1/8} S
MK747
• 1/2"×1/8"



• Color: NP Silver

- Speed of Sprocket: Single Speed
- Tensile Strength: 1,300kgf

MK747



1 ^{1/8} S
MK747
• 1/2"×1/8"



• Color: NP Silver

1 ^{3/32} S
MK747N
• 1/2"×3/32"

- Speed of Sprocket: Single Speed
- Tensile Strength: 1,300kgf



• Color: Silver/ Gray



• Color: Gray/ Gray

Lock Ring



Lock ring for single speed cogs.



Hollow Cogs

MK SP1001

1/2"×1/8"

MK SP1002

1/2"×3/32"

16T, 17T, 18T 19T . . .

Color: NP Silver

Material: SCM Alloy Steel

Ultra Precise Process Cog Teeth

High-Frequency Heat Treatment

(Increase 100% Durability)



Solid Cogs

MK SP2001

1/2"×1/8"

MK SP2002

1/2"×3/32"

13T, 14T, 15T, 16T, 17T, 18T 19T . . .

Color: NP Silver

Material: SCM Alloy Steel

Ultra Precise Process Cog Teeth

High-Frequency Heat Treatment

(Increase 100% Durability)


New Quick Release Safety Links (QRS)

Third restrict section and fourth resist section will limit and lock the pin which keep the pin stay in stable to achieve high durability

Fourth restrict section will limit and lock the pin which keep the pin stay in stable to achieve high durability

Two safe section designs will hold the pin and prevent loosening

Two safe section designs will hold the pin and prevent loosening



Quick Release Safety links (QRS) which has four safe section designs on the plate. These four safe section designs will perfectly control and keep the pin in stable without movable which will attain high strength, high safety and high durability. QRS is designed perfectly fit into the chain with its formation level riveting pin (above 350kgf pin power) and the special waist design with safe interval between the plate and the cassette sprocket which completely avoid the friction on the bottom of cassette sprocket. Moreover, QRS is designed as reusable within 5 times without wasting pin during the installation. Campagnolo, shimano and Sram Chain Compatible. With these technical and protections, QRS offer users a safety, comfortable riding.



- QRS 12 Chromium For 12 Speed Chain
- QRS 11 Chromium For 11 Speed Chain
- QRS 10 Chromium For 10 Speed Chain
- QRS 9 Chromium For 9 Speed Chain
- QRS 7-8 Chromium For 7.8 Speed Chain
- QRS 410 For Single Speed Chain

U.S. Invention Patent: US 8040597 B2
TW Invention Patent: I400297
China Invention Patent: ZL200520179712.9

QRs – Quick Release Safety Link (Reusable)

For your safety consideration, please use YBN QRs.



A. CLOSING


Please pull the ends of the chain together and install both halves of the QRs Link into the chain ends. Press both halves of the QRs Link together and lock in place by pulling the chain opposite direction.

B. RELEASING

Find out where your QRs Link is. Slide the chain ends together. Then, you are able to remove the two halves of the link from the chain ends.

C. REUSABLE

QRs Link is reusable; however, we suggest you use a new QRs Link when you change a new chain.



QF – Quick Fix Connecting Pin (Irreusable)

Characteristics

1. On each Quick Fix (QF) connecting pin, we have the wedges on both sides. This design can reinforce the connecting pin to get stuck with the outer plate after connection. The wedge can increase the pin power to be same as the regular chain pins.
2. Chromium Carbide Treatment.
3. YBN Quick Fix Connecting Pin is compatible with SHIMANO, Campagnolo, and SRAM chain.

ASSEMBLY INSTRUCTION OF REINFORCED CONNECTING Link

GUIDE PIN
CONNECTING PIN WITH GROOVE

NOTE
BE SURE TO CHECK THAT THE CONNECTING PIN PROTRUDES UNIFORMLY FROM THE LINK SURFACES AT BOTH ENDS AFTER THE CHAIN HAS BEEN JOINED.

LINK SURFACE
CONNECTING PIN

1. QF is combined by two components. One is Connecting Pin and the other is Guide Pin.
2. Pull the ends of the chain together. Insert Guide Pin carefully through the chain plate. Make sure the holes of both plates (Inner plate and Outer plate) are on the straight line to avoid damaging these holes.
3. Push the QF Connecting Pin into the holes and use the chain tool to insert the QF Connecting Pin into the chain. During this process, there is a block on the end of the QF Connecting Pin. That is a signal to help you to know when to stop using your chain tool.
4. Finally, you can use your hand or screw driver to screw off the Guide Pin that just out from the chain link.



QF11	for 11	SPD
QF10	for 10	SPD
QF9	for 9	SPD
QF918	for MK918 & MK926	SPD
QF918N	for MK918N & MK926N	SPD
QF918H	for MK918H	SPD

U.S. Invention Patent: US 8540597 B2

Caution: Please make sure and double check that the connecting pin protrudes evenly on both sides after the chain has been connected. Then, test the chain to make sure good connection or not.

Assembly Instruction

QL – Quick Lock Link (Reusable)

QL is our innovated design of chain connector. The shape of QL is extremely different from the original chain connectors. The pin length tolerance problem is solved by the unique construction design. Furthermore, the two-safe-sections ensure that the QL connector will not be unexpectedly released when cycling. YBN offer various QL series for different speed chain. QL11 can fit the Campagnolo 11 speed chain as well.

NEW

QL

QL11 for 11 SPD
QL10 for 10 SPD
QL9 for 9 SPD
QL8 for 8-6 SPD

1. Make sure the direction and follow the arrows and signs to install the QL.


2. Pull the ends together and insert both halves of the QL link into the chain ends.

3. Install.

4. Press both halves of QL Link together and lock in place by pulling the opposite direction.

U.S. Invention Patent: US 7712298 B1
Taiwan Invention Patent: I365943


CHAIN TOOL



CRP-101
CRP-101 Connector Releasing Plier

CLP-102
CLP-102 Connector Locking Plier

Single Speed Connector



Multiple Speed Chain & Single Speed Chain

Similar Appearance Comparing Chart

"Compatible Bikes" Chain Model Color Specification Connector SHIMANO CAMPAGNOLO SRAM KMC

11		SLA211	Ti-N Gold NP Silver/ Roller: Ti-N Gold	1/2**11/128"	QRs11,QL11,QF11					
11		SLA110	Ti-N Black Ti-N Gold NP Silver	1/2**11/128"	QRs11,QL11,QF11	CN9000	RECORD SUPER RECORD	PCXX1	X11SL	
11		SLA-H11	Ti-N Black Ti-N Gold NP Silver	1/2**11/128"	QRs11,QL11,QF11	CN9000	CHORUS ATHENA		X11L	
11		SLA1110	Ti-N Black Ti-N Gold NP Silver	1/2**11/128"	QRs11,QL11,QF11	CN9000				
11		S11	NP Silver	1/2**11/128"	QRs11,QL11,QF11				X11	
10		SLA210	Ti-N Gold NP Silver/ Roller: Ti-N Gold	1/2**11/128"	QRs10,QL10,QF10					
10		SLA101	Ti-N Black Ti-N Gold NP Silver	1/2**11/128"	QRs10,QL10,QF10	CN-7901 CN-7900		PC1091R	X10SL	
10		SLA-H10	Ti-N Black Ti-N Gold NP Silver	1/2**11/128"	QRs10,QL10,QF10	CN-6701 CN-5701 CN-4600	CENTAUR		X10L	
10		SH10	NP Silver Silver/Gray	1/2**11/128"	QRs10,QL10,QF10	CN-6701 CN-5701 CN-4601	CENTAUR		X10L	
10		S1010	NP Silver	1/2**11/128"	QRs10,QL10,QF10	CN-M980		PC1091 PC1071		
10		S10	NP Silver Silver/Gray	1/2**11/128"	QRs10,QL10,QF10	CN-HG94 CN-HG74 CN-HG54 CN-7801 CN-6600 CN-5600	VELOCE	PC1051 PC1031	DX10SC X10	
9		SLA209	Ti-N Gold NP Silver/ Roller: Ti-N Gold	1/2**11/128"	QRs9,QL9,QF9					
9		SLA901	Ti-N Black Ti-N Gold NP Silver	1/2**11/128"	QRs9,QL9,QF9				X9SL	

Single Speed Chain

Similar Appearance Comparing Chart

"Compatible Bikes" Chain Model Color Specification Connector SHIMANO CAMPAGNOLO SRAM KMC

9		SLA-H9	Ti-N Black Ti-N Gold NP Silver	1/2**11/128"	QRs9,QL9,QF9					X9L
9		SH9	NP Silver Silver/Gray Gray/Gray	1/2**11/128"	QRs9,QL9,QF9					X9L
9		S9010	NP Silver	1/2**11/128"	QRs9,QL9,QF9				PC991 CROSS	
9		S9	NP Silver Silver/Gray Gray/Gray	1/2**11/128"	QRs9,QL9,QF9	CN-HG93 CN-HG73 CN-HG53 CN-7701	XENON-C9 MIRAGE		PC991 CROSS SETP PC971 PC951	X9 Z99
8		SLA-H8	Ti-N Gold NP Silver	1/2**3/32"	QRs7.8,QL					X8PL
8		S88	NP Silver Silver/Brown Gray/Brown	1/2**3/32"	QRs7.8,QL		HG71			X8 Z92 Z82 Z72
8		S8010	NP Silver	1/2**3/32"	QRs7.8,QL					
8		S8	NP Silver Silver/Brown Gray/Brown	1/2**3/32"	QRs6.7.8,QL	CN-HG50 CN-HG40			PC890 PC870 PC850 PC830	Z8 Z7
7&8		S52	Brown/Brown	1/2**3/32"	QRs6.7.8 Single Pin		CN-UG51			Z51
6&7		S50	Navy Blue/Brown	1/2**3/32"	QRs6.7.8, Single Pin					Z50
5&6		S20	Brown/Brown	1/2**3/32"	QRs6.7.8, Single Pin					HP20 Z30 Z33
5&6		S20H	Brown/Brown	1/2**3/32"	QRs6.7.8, Single Pin					
10		S10RB	Rust Buster	1/2**11/128"	QRs10,QL10,QF10					X10RB
9		S9RB	Rust Buster	1/2**11/128"	QRs9,QL9,QF9					Z99RB
8		S8RB	Rust Buster	1/2**3/32"	QRs6.7.8,QL					Z8RB Z7RB
7&8		S52RB	Rust Buster	1/2**3/32"	QRs6.7.8 Single Pin					Z51RB
5&6		S20RB	Rust Buster	1/2**3/32"	QRs6.7.8 Single Pin					408RB
BMX,Track Fix Gear,Pista		S512HRB	Rust Buster	1/2**1/8"	Spring Clip CL & Single Pin					Z510HRB Z510XRB Z510RB
Single Speed Bike Exerciser		S410HRB	Rust Buster	1/2**1/8"	QRs410 Spring Clip CL Single Pin	CN-NX10				Z410ARB

Multiple Speed Chain & Single Speed Chain

Similar Appearance Comparing Chart

"Compatible Bikes"	Chain	Model	Color	Specification	Connector	SHIMANO	CAMPAGNOLO	SRAM	KMC
11		S11e	NP Silver	1/2**11/128"	QRs11,QL11,QF11				
10 e-Bike		S10e	NP Silver Gray/Gray	1/2**11/128"	QRs10,QL10,QF10				
9 e-Bike		S9e	NP Silver Gray/Gray	1/2**11/128"	QRs9,QL9,QF9				
8 e-Bike		S8e	NP Silver Gray/Brown	1/2**3/32"	QRs7,8,QL				
1 e-Bike		S512e	NP Silver Brown/Brown	1/2**1/8"	Spring Clip CL & Single Pin				
1 e-Bike		S512Ne	NP Silver Brown/Brown	1/2**3/32"	Spring Clip CL & Single Pin				
11 e-Bike		S11eRB	Rust Buster	1/2**11/128"	QRs11,QL11,QF11				X11eRB
10 e-Bike		S10eRB	Rust Buster	1/2**11/128"	QRs10,QL10,QF10				X10eRB
9 e-Bike		S9eRB	Rust Buster	1/2**11/128"	QRs9,QL9,QF9				X9eRB
8 e-Bike		S8eRB	Rust Buster	1/2**3/32"	QRs7,8,QL				
1 e-Bike		S512eRB	Rust Buster	1/2**1/8"	Spring Clip CL & Single Pin				
1 e-Bike		S512NeRB	Rust Buster	1/2**3/32"	Spring Clip CL & Single Pin				
BMX Track Fix Gear Pista		MK918	Gold NP Silver	1/2**1/8"	QF918				HL710
BMX Track Fix Gear Pista		MK918N	Gold NP Silver	1/2**3/32"	QF918N				HL810
BMX Track Fix Gear Pista		MK918H	Gold NP Silver	1/2**1/8"	QF918				
BMX Track Fix Gear Pista		MK918NH	Gold NP Silver	1/2**3/32"	QF918N				
BMX Track Fix Gear Pista		MK926	Gold NP Silver	1/2**1/8"	QF918				
BMX Track Fix Gear Pista		MK926N	Gold NP Silver	1/2**3/32"	QF918N				

Single Speed Chain

Similar Appearance Comparing Chart

"Compatible Bikes"	Chain	Model	Color	Specification	Connector	SHIMANO	CAMPAGNOLO	SRAM	KMC
BMX Free Style		MK747SL-M	Multi-Colors	1/2**1/8"	Spring Clip CL				K710SL
BMX Free Style		MK747SL	Gold NP Silver	1/2**1/8"	Spring Clip CL				K710SL
BMX Free Style		MK747NSL	Gold NP Silver	1/2**3/32"	Spring Clip CL				K810SL
BMX Free Style		MK747L	NP Silver	1/2**1/8"	Spring Clip CL				
BMX Free Style		MK747	NP Silver Silver/Gray Gray/Gray	1/2**1/8"	Spring Clip CL				K710
BMX Free Style		MK747N	NP Silver Silver/Gray Gray/Gray	1/2**3/32"	Spring Clip CL				K810
BMX Track Fix Gear Pista		S512H	NP Silver Silver/Brown Brown/Brown	1/2**1/8"	Spring Clip CL & Single Pin				Z510H
BMX Track Fix Gear Pista		S512NH	NP Silver Silver/Brown Brown/Brown	1/2**3/32"	Spring Clip CL & Single Pin				Z610H Z610HX
BMX, TRACK Fix Gear, Pista		S512HX	NP Silver	1/2**1/8"	Spring Clip CL & Single Pin				Z510HX
BMX, TRACK Fix Gear, Pista		SU-01	NP Silver	1/2**1/8"	Spring Clip CL & Single Pin				
Single Speed Bike Exerciser		S410	Brown/Brown	1/2**1/8"	QRs410 Spring Clip CL Single Pin				Z410
Single Speed Bike Exerciser		S410A	Gray/Gray	1/2**1/8"	QRs410 Spring Clip CL Single Pin				410H
BMX Free Style Track Bike		S410H	Brown/Brown	1/2**1/8"	QRs410 Spring Clip CL Single Pin				
BMX Free Style Track Bike		S410HX	Brown/Brown	1/2**1/8"	QRs410 Spring Clip CL Single Pin				Z410A
Speed Bike, BMX, Free Style, Track Bike Fix Gear, Pista, Single Speed Bike		415HS2	NP Silver	1/2**3/16"	Spring Clip CL				K415H
BMX, Track, Fix Gear, Pista		SLA410	NP Silver	1/2**1/8"	QRs410 Spring Clip CL				
BMX, Track, Fix Gear, Pista		SH410	NP Silver	1/2**1/8"	QRs410 Spring Clip CL				D101 HP1L
Single Speed Bike Exerciser		25H	Brown	1/4**1/8"	Spring Clip CL & Endless				25HA

Titanium Chain Box Packing



Rectangular Hanger Box Packing



Blister Packing



Square Hanger Box Packing



Big Square Hanger Box Packing



Skin Card Packing for QRs Links




Skin Card Packing for QF Pins



Skin Card Packing for QL Links






Material	SCM415~SCM430
	STKM 11A
	STKM 13A
	STKM 18A
	STKM 22A
	STKM 2AD
	STKM 4AD
	All kinds of materials, such as "CR、HR、P/O、GI、G2、1A", and so on
Purpose	bicycle pipe、motorcycle pipe、automobile pipe、furniture pipe、office supplies pipe、construction pipe,etc.



Round pipe	Square pipe	Rectangle pipe	Thickness (mm)
Ø 12.7	10 x 10		0.6 ~ 2.5
Ø 14			0.6 ~ 2.5
Ø 15.9	12 x 12	10 x 15	0.6 ~ 2.5
Ø 17.8	14 x 14		0.6 ~ 2.5
Ø 19.1	16 x 16	10 x 20	0.6 ~ 2.5
Ø 20		10 x 22	0.6 ~ 2.5
Ø 21			0.6 ~ 2.5
Ø 22.2	18 x 18	15 x 20	0.6 ~ 2.5
Ø 23.3		12 x 25	0.6 ~ 2.5
Ø 25.4	20 x 20	13 x 26	0.6 ~ 2.5
		15 x 25	0.6 ~ 2.5
Ø 25.85			0.6 ~ 2.5
Ø 27			0.6 ~ 2.5
Ø 28.6	22 x 22	15 x 30	0.6 ~ 2.5
		12 x 32	0.6 ~ 2.5
Ø 31.8	25 x 25	20 x 30	0.6 ~ 2.5
Ø 34.9			1.0 ~ 4.0
Ø 38.1	30 x 30	20 x 40	1.0 ~ 4.0
Ø 42	32 x 32		1.0 ~ 4.0
Ø 44.5	35 x 35	30 x 40	1.0 ~ 4.0
Ø 48.6	38 x 38	25 x 50	1.0 ~ 4.0
Ø 50.8	40 x 40	20 x 60	1.0 ~ 4.0
Ø 57	45 x 45	30 x 60	1.0 ~ 4.0
		40 x 50	1.0 ~ 4.0
Ø 60			1.0 ~ 4.0
Ø 63.5	50 x 50	40 x 60	1.0 ~ 4.0
		25 x 75	1.0 ~ 4.0



- Scraped steel pipes are available by request.
- We supply a various of pipes and we can also cooperate in developing customized pipe.
- We can provide the certificate of origin of Vietnam.
- Any demand or request please feel free to contact us.